sales@murada.co.id
www.murada.co.id



GRAINGER APPROVED PlstcSht GaroLE 24 x36 0.125 T Brw Opq, 3HMW3

Item **28NVR7123** Mfr. Model **BULKCSGLE304**

Product Details

Item Reference: **3HMW3**	Width (in): **24**
Brand: **GRAINGER APPROVED**	Height (in): **0.2**
Weight (lb): **9.445**	Harmonization Code: **3920940000**
Length (in): **36**	

Product Description

LE Fiberglass Epoxy Laminate Sheet Material Fiberglass Epoxy Laminate Color Brown Clarity Opaque Overall Length 36 in Tensile Strength 9 000 psi Maximum Temperature 265 Degrees F Minimum Temperature -45 Degrees F Density 0.048 lb/cu in Standards MIL-I-24768/13 FBE NEMA Impact Strength 1.3 ft-lb/in Hardness Rating Extra Hard Friction Coefficient Not Applicable Corrosion and Chemical Resistance Fair Friction Rating Not Rated Grade LE Hardness Rockwell M105