sales@murada.co.id
www.murada.co.id



GRAINGER APPROVED PlstcSht GaroltG9 6 x6 0.125 T Beig Opq, 55RP63

Item **28NVR7883** Mfr. Model **BULKCSGG955**

Product Details

Item Reference: **55RP63**	Width (in): **5.9**
Brand: **GRAINGER APPROVED**	Height (in): **0.1**
Weight (lb): **0.2**	Harmonization Code: **3920940000**
Length (in): **5.8**	

Product Description

G-9 Fiberglass Epoxy Laminate Sheet Material Fiberglass Epoxy Laminate Color Beige Clarity Opaque Overall Length 6 in Tensile Strength 39 000 psi Maximum Temperature 280 Degrees F Minimum Temperature 0 Degrees F Density 0.067 lb/cu in Standards UL 94 V-0 Impact Strength 12.5 ft-lb/in Hardness Rating Extra Hard Friction Coefficient Not Applicable Corrosion and Chemical Resistance Good Friction Rating Not Rated Grade G-9 Hardness Rockwell M110 Impact Strength Rating Excellent