



**GRAINGER APPROVED K6593 PlstcRod GarolitG10FR4
5/16 Di 4ftL Yllw, 55TJ34**

Item **28NVR7911** Mfr. Model **BULKCRGFR454**

Product Details

Item Reference: 55TJ34	Width (in): 0.4
Brand: GRAINGER APPROVED	Height (in): 0.4
Weight (lb): 0.25	Harmonization Code: 3920940000
Length (in): 48	Country of Origin: China

Product Description

K6593 G-10/FR4 Fiberglass Epoxy Laminate Rod Material Fiberglass Epoxy Laminate Color Yellow Clarity Opaque Overall Diameter 5/16 in Overall Length 4 ft Tensile Strength 38 000 psi Maximum Temperature 280 Degrees F Minimum Temperature 0 Degrees F Density 0.072 lb/cu in Diameter Tolerance +0.031/-0.006 in Standards UL 94 V-0 Impact Strength 14.0 ft-lb/in Hardness Rating Extra Hard Friction Coefficient Not Applicable Corrosion and Chemical Resistance Good Friction Rating Not Applicable