sales@murada.co.id
www.murada.co.id



# GRAINGER APPROVED PlstcSht GarolitCE 36 x48 0.5 T Brw Opq, 55TW61

Item **28NVR7972** Mfr. Model **BULKCSGCE189**

## Product Details

| | |
|---|---|
| Item Reference: **55TW61** | Width (in): **36** |
| Brand: **GRAINGER APPROVED** | Height (in): **0.5** |
| Weight (lb): **42.34** | Harmonization Code: **3920940000** |
| Length (in): **48.1** | |

## Product Description

CE Fiberglass Epoxy Laminate Sheet Material Fiberglass Epoxy Laminate Color Brown Clarity Opaque Overall Length 4 ft Tensile Strength 10 000 psi Maximum Temperature 250 Degrees F Minimum Temperature 0 Degrees F Density 0.049 lb/cu in Standards UL 94 HB Impact Strength 1.7 ft-lb/in Hardness Rating Hard Corrosion and Chemical Resistance Fair Friction Rating Not Rated Grade CE Hardness Rockwell M100 Impact Strength Rating Poor Length Tolerance +/-1.000 in Machinability Good