



**GRAINGER APPROVED PlstcSht GarG11 12 x24 0.1875 T
Grn Opq, 55TY24**

Item **28NVR8089** Mfr. Model **BULKCSGG1130**

Product Details

Item Reference: 55TY24	Width (in): 12
Brand: GRAINGER APPROVED	Height (in): 0.2
Weight (lb): 3.95	Harmonization Code: 3920940000
Length (in): 24	Country of Origin: China

Product Description

G-11 Fiberglass Epoxy Laminate Sheet Material Fiberglass Epoxy Laminate Color Green Clarity Opaque Overall Length 24 in Tensile Strength 37 000 psi Maximum Temperature 300 Degrees F Minimum Temperature 0 Degrees F Density 0.066 lb/cu in Standards UL 94 HB Impact Strength 12 ft-lb/in Hardness Rating Extra Hard Friction Coefficient Not Applicable Corrosion and Chemical Resistance Good Friction Rating Not Rated Grade G-11 Hardness Rockwell M110 Impact Strength Rating Excellent