



**GRAINGER APPROVED Sheet GaroG11 48 x48 0.03125 T
Grn Opq, 55TY33**

Item **28NVR8098** Mfr. Model **BULKCSGG11170**

Product Details

Item Reference: 55TY33	Width (in): 48.1
Brand: GRAINGER APPROVED	Height (in): 0.1
Weight (lb): 4	Harmonization Code: 3920940000
Length (in): 48.2	Country of Origin: China

Product Description

G-11 Fiberglass Epoxy Laminate Sheet Material Fiberglass Epoxy Laminate Color Green Clarity Opaque Overall Length 4 ft Tensile Strength 37 000 psi Maximum Temperature 300 Degrees F Minimum Temperature 0 Degrees F Density 0.066 lb/cu in Standards UL 94 HB Impact Strength 12 ft-lb/in Hardness Rating Extra Hard Friction Coefficient Not Applicable Corrosion and Chemical Resistance Good Friction Rating Not Rated Grade G-11 Hardness Rockwell M110 Impact Strength Rating Excellent